

**TABLE DE COTATION – EQUIPE PROMOTIONNEL LYCEES**

**FILLES LYCEES**

PTS	SAUV.	50 DOS	50 BRA	50 PAP	50 NL	100 4N	200 PALMES	6x50 NL Mixte	PTS
60	0.24.5	0.33.0	0.35.0	0.35.0	0.29.0	1.11.0	2.17.0	2.55.0	60
59	0.24.8	0.34.0	0.36.0	0.36.0	0.29.5	1.11.5	2.18.0	2.57.0	59
58	0.25.2	0.35.0	0.37.0	0.37.0	0.30.0	1.12.0	2.19.0	2.59.0	58
57	0.25.6	0.36.0	0.38.0	0.38.0	0.30.5	1.12.5	2.20.0	3.01.0	57
56	0.26.0	0.37.0	0.39.0	0.39.0	0.31.0	1.13.0	2.21.0	3.03.0	56
55	0.26.4	0.38.0	0.40.0	0.40.0	0.32.0	1.14.0	2.22.0	3.06.0	55
54	0.26.8	0.39.0	0.41.0	0.41.0	0.33.0	1.14.5	2.23.0	3.09.0	54
53	0.27.0	0.40.0	0.42.0	0.42.0	0.34.0	1.15.0	2.24.5	3.12.0	53
52	0.27.4	0.41.0	0.43.0	0.43.0	0.35.0	1.16.0	2.26.0	3.15.0	52
51	0.27.8	0.42.0	0.44.0	0.44.0	0.36.0	1.16.5	2.27.5	3.18.0	51
50	0.28.0	0.43.0	0.45.0	0.45.0	0.37.0	1.17.0	2.29.0	3.21.0	50
49	0.28.4	0.44.0	0.46.0	0.46.0	0.38.0	1.18.0	2.30.5	3.24.0	49
48	0.28.8	0.45.0	0.47.0	0.47.0	0.39.0	1.19.0	2.32.0	3.27.0	48
47	0.29.0	0.46.0	0.48.0	0.48.0	0.40.0	1.20.0	2.33.5	3.30.0	47
46	0.29.4	0.47.0	0.49.0	0.49.0	0.41.0	1.21.0	2.35.0	3.33.0	46
45	0.29.8	0.48.0	0.50.0	0.50.0	0.42.0	1.22.0	2.36.5	3.36.0	45
44	0.30.0	0.49.0	0.51.0	0.51.0	0.43.0	1.23.0	2.38.0	3.39.0	44
43	0.30.4	0.50.0	0.52.0	0.52.0	0.44.0	1.24.0	2.39.5	3.42.0	43
42	0.30.8	0.51.0	0.53.0	0.53.0	0.45.0	1.25.0	2.41.0	3.45.0	42
41	0.31.0	0.52.0	0.54.0	0.54.0	0.46.0	1.26.0	2.43.0	3.48.0	41
40	0.31.4	0.53.0	0.55.0	0.55.0	0.47.0	1.27.0	2.45.0	3.52.0	40
39	0.31.8	0.54.0	0.56.0	0.56.0	0.48.0	1.28.0	2.47.0	3.56.0	39
38	0.32.2	0.55.0	0.57.0	0.57.0	0.49.0	1.29.0	2.49.0	4.00.0	38
37	0.32.6	0.56.0	0.58.0	0.58.0	0.50.0	1.30.0	2.51.0	4.04.0	37
36	0.33.0	0.57.0	0.59.0	0.59.0	0.51.0	1.31.5	2.53.0	4.08.0	36
35	0.33.4	0.58.0	1.00.0	1.00.0	0.52.0	1.33.0	2.55.0	4.13.0	35
34	0.33.8	0.59.0	1.02.0	1.02.0	0.53.0	1.34.5	2.57.0	4.18.0	34
33	0.34.2	1.01.0	1.04.0	1.04.0	0.54.0	1.36.0	2.59.0	4.23.0	33
32	0.34.6	1.03.0	1.06.0	1.06.0	0.55.0	1.37.5	3.01.0	4.28.0	32
31	0.35.0	1.05.0	1.08.0	1.08.0	0.56.0	1.39.0	3.03.0	4.33.0	31
30	0.35.5	1.07.0	1.10.0	1.10.0	0.57.0	1.40.5	3.05.0	4.38.0	30
29	0.36.0	1.09.0	1.12.0	1.12.0	0.59.0	1.42.0	3.07.5	4.44.0	29
28	0.36.5	1.11.0	1.14.0	1.14.0	1.01.0	1.43.5	3.10.0	4.50.0	28
27	0.37.0	1.13.0	1.16.0	1.16.0	1.03.0	1.45.0	3.12.5	4.56.0	27
26	0.37.5	1.15.0	1.18.0	1.18.0	1.05.0	1.47.0	3.15.0	5.02.0	26
25	0.38.0	1.17.0	1.20.0	1.20.0	1.07.0	1.49.0	3.17.5	5.08.0	25
24	0.38.5	1.19.0	1.22.0	1.22.0	1.09.0	1.51.0	3.20.0	5.14.0	24
23	0.39.0	1.21.0	1.24.0	1.24.0	1.11.0	1.53.0	3.22.5	5.20.0	23
22	0.39.5	1.23.0	1.26.0	1.26.0	1.13.0	1.55.0	3.25.0	5.26.0	22
21	0.40.0	1.25.0	1.28.0	1.28.0	1.15.0	1.57.0	3.27.5	5.32.0	21
20	0.40.5	1.27.0	1.30.0	1.30.0	1.17.0	1.59.0	3.30.0	5.38.0	20
19	0.41.0	1.30.0	1.32.0	1.32.0	1.19.0	2.01.0	3.33.0	5.44.0	19
18	0.42.0	1.32.0	1.34.0	1.34.0	1.21.0	2.03.0	3.36.0	5.50.0	18
17	0.43.0	1.34.0	1.36.0	1.36.0	1.23.0	2.05.0	3.39.0	5.56.0	17
16	0.44.0	1.36.0	1.38.0	1.38.0	1.25.0	2.07.0	3.42.0	6.00.0	16
15	0.45.0	1.38.0	1.40.0	1.40.0	1.27.0	2.09.0	3.45.0	6.06.0	15
14	0.46.0	1.40.0	1.42.0	1.42.0	1.29.0	2.11.0	3.48.0	6.12.0	14
13	0.47.0	1.42.0	1.44.0	1.44.0	1.31.0	2.13.0	3.51.0	6.18.0	13
12	0.48.0	1.44.0	1.46.0	1.46.0	1.33.0	2.15.0	3.54.0	6.25.0	12
11	0.49.0	1.46.0	1.48.0	1.48.0	1.35.0	2.17.0	3.57.0	6.32.0	11
10	0.50.0	1.48.0	1.50.0	1.50.0	1.37.0	2.19.0	4.00.0	6.40.0	10
9	0.52.0	1.50.0	1.52.0	1.52.0	1.39.0	2.21.0	4.03.0	6.48.0	9
8	0.54.0	1.52.0	1.54.0	1.54.0	1.41.0	2.23.5	4.06.0	6.56.0	8
7	0.56.0	1.54.0	1.56.0	1.56.0	1.43.0	2.26.0	4.09.0	7.04.0	7
6	0.58.0	1.57.0	1.58.0	1.58.0	1.45.0	2.28.5	4.12.0	7.12.0	6
5	1.00.0	2.00.0	2.01.0	2.01.0	1.47.0	2.31.0	4.17.0	7.20.0	5
4	1.04.0	2.03.0	2.04.0	2.04.0	1.49.0	2.34.0	4.21.0	7.28.0	4
3	1.05.0	2.07.0	2.07.0	2.07.0	1.52.0	2.38.0	4.25.0	7.36.0	3
2	1.10.0	2.12.0	2.10.0	2.10.0	1.55.0	2.45.0	4.30.0	7.40.0	2

**TABLE DE COTATION – EQUIPE PROMOTIONNEL LYCEES**  
**GARCONS LYCEES**

PTS	SAUV.	50 DOS	50 BRA	50 PAP	50 NL	100 4N	200 PALMES	6x50 NL Mixte	PTS
60	0.21.5	0.29.0	0.31.4	0.31.4	0.24.8	1.08.0	2.09.0	2.55.0	60
59	0.21.8	0.29.4	0.31.8	0.31.8	0.25.2	1.08.5	2.10.0	2.57.0	59
58	0.22.2	0.29.8	0.32.2	0.32.2	0.25.6	1.09.0	2.11.0	2.59.0	58
57	0.22.6	0.30.2	0.32.6	0.32.6	0.26.0	1.09.5	2.12.0	3.01.0	57
56	0.23.0	0.30.6	0.33.0	0.33.0	0.26.4	1.10.0	2.13.0	3.03.0	56
55	0.23.4	0.31.0	0.33.6	0.33.6	0.26.8	1.10.5	2.14.0	3.06.0	55
54	0.23.8	0.31.6	0.34.2	0.34.2	0.27.2	1.11.0	2.15.0	3.09.0	54
53	0.24.0	0.32.2	0.34.8	0.34.8	0.27.6	1.11.5	2.16.0	3.12.0	53
52	0.24.4	0.32.8	0.35.4	0.35.4	0.28.0	1.12.0	2.17.5	3.15.0	52
51	0.24.8	0.33.4	0.36.0	0.36.0	0.28.4	1.13.0	2.19.0	3.18.0	51
50	0.25.2	0.34.0	0.36.6	0.36.6	0.28.8	1.13.5	2.20.5	3.21.0	50
49	0.25.6	0.34.6	0.37.2	0.37.2	0.29.2	1.14.0	2.22.0	3.24.0	49
48	0.26.0	0.35.2	0.37.8	0.37.8	0.29.6	1.15.0	2.23.5	3.27.0	48
47	0.26.4	0.35.8	0.38.4	0.38.4	0.30.0	1.15.5	2.25.0	3.30.0	47
46	0.26.8	0.36.4	0.39.0	0.39.0	0.30.6	1.16.0	2.26.5	3.33.0	46
45	0.27.2	0.37.2	0.39.6	0.39.6	0.31.2	1.17.0	2.28.0	3.36.0	45
44	0.27.6	0.38.0	0.40.2	0.40.2	0.31.8	1.17.5	2.29.5	3.39.0	44
43	0.28.0	0.39.0	0.40.8	0.40.8	0.32.4	1.18.0	2.31.0	3.42.0	43
42	0.28.2	0.40.0	0.41.4	0.41.4	0.33.0	1.19.0	2.33.0	3.45.0	42
41	0.28.6	0.41.0	0.42.2	0.42.2	0.33.6	1.20.0	2.35.0	3.48.0	41
40	0.29.0	0.42.0	0.43.0	0.43.0	0.34.2	1.21.0	2.37.0	3.52.0	40
39	0.29.4	0.43.0	0.44.0	0.44.0	0.35.0	1.22.0	2.39.0	3.56.0	39
38	0.29.8	0.44.0	0.45.0	0.45.0	0.36.0	1.23.0	2.41.0	4.00.0	38
37	0.30.0	0.45.0	0.46.0	0.46.0	0.37.0	1.24.0	2.43.0	4.04.0	37
36	0.30.4	0.46.0	0.47.0	0.47.0	0.38.0	1.25.0	2.45.0	4.08.0	36
35	0.30.8	0.47.0	0.48.0	0.48.0	0.39.0	1.26.0	2.47.0	4.13.0	35
34	0.31.0	0.48.0	0.49.0	0.49.0	0.40.0	1.27.0	2.49.0	4.18.0	34
33	0.31.4	0.49.0	0.50.0	0.50.0	0.41.0	1.28.0	2.51.0	4.23.0	33
32	0.31.8	0.50.0	0.51.0	0.51.0	0.42.0	1.29.0	2.53.0	4.28.0	32
31	0.32.0	0.51.0	0.52.0	0.52.0	0.43.0	1.30.0	2.55.0	4.33.0	31
30	0.32.4	0.52.0	0.53.0	0.53.0	0.44.0	1.31.0	2.57.0	4.38.0	30
29	0.32.8	0.53.0	0.54.0	0.54.0	0.45.0	1.32.0	2.59.0	4.44.0	29
28	0.33.0	0.54.0	0.55.0	0.55.0	0.46.0	1.33.0	3.01.0	4.50.0	28
27	0.33.4	0.54.1	0.56.0	0.56.0	0.47.0	1.34.0	3.03.0	4.56.0	27
26	0.33.8	0.54.2	0.57.0	0.57.0	0.48.0	1.35.0	3.05.5	5.02.0	26
25	0.34.0	0.57.0	0.58.0	0.58.0	0.49.0	1.36.0	3.08.0	5.08.0	25
24	0.34.4	0.58.0	0.59.0	0.59.0	0.50.0	1.37.0	3.10.5	5.14.0	24
23	0.34.8	0.59.0	1.00.0	1.00.0	0.51.0	1.38.5	3.13.0	5.20.0	23
22	0.35.2	1.00.0	1.01.0	1.01.0	0.52.0	1.40.0	3.15.5	5.26.0	22
21	0.35.7	1.01.0	1.02.0	1.02.0	0.53.0	1.41.5	3.17.0	5.32.0	21
20	0.36.2	1.02.0	1.03.0	1.03.0	0.54.0	1.43.0	3.19.5	5.38.0	20
19	0.37.0	1.03.0	1.04.0	1.04.0	0.55.0	1.44.5	3.22.0	5.44.0	19
18	0.37.5	1.04.0	1.05.0	1.05.0	0.56.0	1.46.0	3.24.5	5.50.0	18
17	0.38.0	1.06.0	1.06.0	1.06.0	0.57.0	1.47.5	3.27.0	5.56.0	17
16	0.38.5	1.08.0	1.07.0	1.07.0	0.58.0	1.49.0	3.30.0	6.00.0	16
15	0.39.0	1.10.0	1.08.0	1.08.0	0.59.0	1.50.5	3.33.0	6.06.0	15
14	0.39.5	1.12.0	1.09.0	1.09.0	1.00.0	1.52.0	3.36.0	6.12.0	14
13	0.40.0	1.14.0	1.10.0	1.10.0	1.01.0	1.54.0	3.39.0	6.18.0	13
12	0.41.0	1.16.0	1.12.0	1.12.0	1.02.0	1.56.0	3.42.0	6.25.0	12
11	0.42.0	1.18.0	1.14.0	1.14.0	1.03.0	1.58.0	3.45.0	6.32.0	11
10	0.43.5	1.20.0	1.17.0	1.17.0	1.04.0	2.00.0	3.48.0	6.40.0	10
9	0.45.0	1.22.0	1.20.0	1.20.0	1.06.0	2.02.0	3.51.0	6.48.0	9
8	0.46.5	1.24.0	1.23.0	1.23.0	1.08.0	2.04.0	3.54.0	6.56.0	8
7	0.48.0	1.26.0	1.26.0	1.26.0	1.10.0	2.06.0	3.57.0	7.04.0	7
6	0.50.0	1.28.0	1.28.0	1.28.0	1.12.0	2.09.0	4.00.0	7.12.0	6
5	0.52.0	1.30.0	1.31.0	1.31.0	1.14.0	2.12.0	4.04.0	7.20.0	5
4	0.56.0	1.32.0	1.33.0	1.33.0	1.16.0	2.16.0	4.08.0	7.28.0	4
3	1.00.0	1.34.0	1.34.0	1.34.0	1.18.0	2.19.0	4.12.0	7.36.0	3
2	1.04.0	1.36.0	1.37.0	1.37.0	1.20.0	2.23.0	4.17.0	7.40.0	2